

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Physical activity	54.0	102	56.0	100	-	-	55.0	202
b. Nutrition	55.9	102	57.6	99	-	-	56.7	201
c. Tobacco-use prevention	58.1	103	58.4	99	-	-	58.3	202
d. Asthma	38.1	102	34.8	98	-	-	36.5	200
e. Injury and violence prevention	42.9	102	48.1	99	-	-	45.4	201

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Health education	42.0	107	44.5	100	-	-	43.2	207
b. Physical education and physical activity	43.0	107	47.3	101	-	-	45.0	208
c. Nutrition services and foods and beverages available at school	39.5	106	41.6	101	-	-	40.5	207
d. Health services	33.9	106	32.3	101	-	-	33.1	207
e. Mental health and social services	36.6	106	37.2	101	-	-	36.9	207
f. Healthy and safe school environment	59.1	106	62.1	101	-	-	60.5	207
g. Family and community involvement	53.4	106	59.3	101	-	-	56.2	207
h. Faculty and staff health promotion	31.0	106	29.7	101	-	-	30.4	207

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Number of minutes of physical education required in each grade	82.3	107	78.0	100	-	-	80.3	207
b. Rates of student participation in school meal programs	85.9	107	86.4	101	-	-	86.1	208
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	51.4	107	53.9	101	-	-	52.6	208
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	43.5	107	53.3	101	-	-	48.2	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
84.5	103	84.9	98	-	-	84.7	201

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
50.3	107	56.4	101	-	-	53.2	208

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. School administrators	94.4	54	89.1	55	-	-	91.8	109
b. Health education teachers	96.2	54	96.5	53	-	-	96.3	107
c. Physical education teachers	92.5	54	96.4	53	-	-	94.4	107
d. Mental health or social services staff	36.0	53	40.5	52	-	-	38.2	105
e. Nutrition or food service staff	74.1	54	66.7	54	-	-	70.5	108
f. Health services staff (e.g., school nurse)	50.0	54	58.3	54	-	-	54.0	108
g. Maintenance and transportation staff	38.0	53	25.8	51	-	-	32.2	104
h. Technology staff	34.3	53	28.6	52	-	-	31.5	105
i. Library/media center staff	26.7	52	22.4	52	-	-	24.6	104
j. Student body	51.4	53	45.5	53	-	-	48.5	106
k. Parents or families of students	65.5	52	65.0	53	-	-	65.3	105
l. Community members	63.4	52	64.1	52	-	-	63.7	104

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
m. Local health departments, agencies, or organizations	53.5	52	44.8	53	-	-	49.2	105
n. Faith-based organizations	12.2	52	10.3	51	-	-	11.3	103
o. Businesses	31.1	52	13.8	53	-	-	22.6	105
p. Local government agencies	34.6	52	21.3	52	-	-	28.1	104

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	23.1	108	24.0	102	-	-	23.6	210
b. Youth who participate in drop-out prevention, alternative education, or GED programs	26.6	108	23.3	102	-	-	25.0	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
25.1	106	21.4	102	-	-	23.4	208

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	44.5	107	39.6	101	-	-	42.1	208
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	83.8	107	88.9	101	-	-	86.2	208
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	55.7	107	57.3	100	-	-	56.5	207
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	42.8	107	32.3	101	-	-	37.8	208
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	45.3	107	36.9	101	-	-	41.3	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Attendance of students with HIV infection	56.8	104	67.6	100	-	-	62.0	204
b. Procedures to protect HIV-infected students and staff from discrimination	58.8	104	76.2	100	-	-	67.1	204
c. Maintaining confidentiality of HIV-infected students and staff	74.0	104	81.5	100	-	-	77.6	204
d. Worksite safety (i.e., universal precautions for all school staff)	82.7	104	88.6	100	-	-	85.5	204
e. Confidential counseling for HIV-infected students	52.0	104	62.5	100	-	-	57.0	204
f. Communication of the policy to students, school staff, and parents	58.5	104	62.7	99	-	-	60.5	203
g. Adequate training about HIV infection for school staff	62.5	104	64.9	100	-	-	63.6	204
h. Procedures for implementing the policy	57.7	104	62.7	100	-	-	60.1	204

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. A student mentoring program	60.8	107	61.8	102	-	-	61.3	209
b. A safe-passages to school program	19.3	106	33.3	102	-	-	26.0	208
c. A program to prevent bullying	74.1	106	86.1	103	-	-	79.9	209
d. A program to prevent dating violence	39.4	107	33.9	102	-	-	36.8	209
e. A youth development program	49.2	107	56.2	102	-	-	52.6	209

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Yes	98.0	106	91.4	102	-	-	94.8	208
b. No	1.0	106	8.6	102	-	-	4.7	208
c. Not applicable	1.0	106	0.0	102	-	-	0.5	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
98.1	107	95.8	100	-	-	97.1	207

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Sixth grade	§	§	92.0	75	-	-	92.0	75
b. Seventh grade	§	§	95.6	95	-	-	95.6	95
c. Eighth grade	§	§	95.6	95	-	-	95.6	95
d. Ninth grade	97.0	103	84.0	31	-	-	94.1	134
e. Tenth grade	97.1	103	§	§	-	-	97.1	103
f. Eleventh grade	17.3	93	§	§	-	-	17.3	93
g. Twelfth grade	17.3	93	§	§	-	-	17.3	93

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Enrollment in other courses (e.g., math or science)	20.8	102	14.3	92	-	-	17.8	194
b. Participation in school sports	2.0	102	2.3	92	-	-	2.1	194
c. Participation in other school activities (e.g., ROTC, band, or chorus)	3.0	102	1.0	92	-	-	2.1	194
d. Participation in community sports activities	1.0	102	2.0	92	-	-	1.5	194
e. Religious reasons	27.2	102	34.8	92	-	-	30.7	194
f. Long-term physical or medical disability	86.9	102	85.6	92	-	-	86.3	194
g. Cognitive disability	38.8	102	29.0	91	-	-	34.3	193
h. High physical fitness competency test score	1.0	102	0.0	92	-	-	0.5	194
i. Participation in vocational training	1.0	102	1.0	92	-	-	1.0	194
j. Participation in community service activities	1.0	102	0.0	92	-	-	0.6	194

\*Among those schools that require physical education for students in any of grades 6 through 12.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
86.7	106	84.5	99	-	-	85.7	205

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Goals, objectives, and expected outcomes for physical education	95.3	108	95.8	103	-	-	95.5	211
b. A chart describing the annual scope and sequence of instruction for physical education	82.8	106	80.1	103	-	-	81.5	209
c. Plans for how to assess student performance in physical education	78.6	108	74.7	102	-	-	76.7	210
d. A written physical education curriculum	87.9	108	93.8	103	-	-	90.7	211

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
57.7	107	64.8	103	-	-	61.1	210

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
84.2	107	82.9	103	-	-	83.6	210

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
98.0	103	98.9	103	-	-	98.4	206

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Cigarettes	97.0	101	97.7	99	-	-	97.3	200
b. Smokeless Tobacco	97.0	101	97.7	99	-	-	97.3	200
c. Cigars	94.0	101	93.6	99	-	-	93.8	200
d. Pipes	94.0	101	93.6	99	-	-	93.8	200

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Cigarettes	93.0	101	97.7	99	-	-	95.3	200
b. Smokeless Tobacco	93.0	101	97.7	99	-	-	95.3	200
c. Cigars	90.0	101	93.6	99	-	-	91.7	200
d. Pipes	90.0	101	93.6	99	-	-	91.7	200

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Cigarettes	94.0	101	97.7	98	-	-	95.8	199
b. Smokeless Tobacco	94.0	101	97.7	98	-	-	95.8	199
c. Cigars	91.0	101	93.5	98	-	-	92.2	199
d. Pipes	91.0	101	93.5	98	-	-	92.2	199

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. During school hours	97.0	101	98.9	99	-	-	97.9	200
b. During non-school hours	86.2	101	93.8	98	-	-	89.9	199

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. During school hours	93.1	100	97.9	98	-	-	95.4	198
b. During non-school hours	78.1	100	86.4	97	-	-	82.1	197

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. During school hours	94.0	99	98.9	98	-	-	96.4	197
b. During non-school hours	77.8	99	86.4	97	-	-	82.0	196

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. In school buildings	98.0	101	98.9	99	-	-	98.4	200
b. Outside on school grounds, including parking lots and playing fields	97.0	101	98.9	99	-	-	97.9	200
c. On school buses or other vehicles used to transport students	98.0	101	98.9	99	-	-	98.4	200
d. At off-campus, school-sponsored events	92.2	101	93.0	99	-	-	92.6	200

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. In school buildings	97.9	98	98.9	98	-	-	98.4	196
b. Outside on school grounds, including parking lots and playing fields	92.9	98	98.9	98	-	-	95.8	196
c. On school buses or other vehicles used to transport students	96.9	98	98.9	98	-	-	97.9	196
d. At off-campus, school-sponsored events	81.7	98	87.6	98	-	-	84.6	196

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. In school buildings	95.8	98	97.9	98	-	-	96.8	196
b. Outside on school grounds, including parking lots and playing fields	90.8	98	97.9	98	-	-	94.3	196
c. On school buses or other vehicles used to transport students	93.8	98	97.9	98	-	-	95.8	196
d. At off-campus, school-sponsored events	55.4	96	68.4	97	-	-	61.8	193

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
44.9	96	55.9	97	-	-	50.3	193

\*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Students	97.9	98	100.0	98	-	-	98.9	196
b. Faculty and staff	95.9	98	98.9	98	-	-	97.3	196
c. Visitors	84.4	96	93.5	98	-	-	88.9	194

\*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
95.9	98	97.7	98	-	-	96.8	196

\*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. No single individual is responsible	36.2	91	42.1	94	-	-	39.1	185
b. Principal	49.7	91	56.7	94	-	-	53.2	185
c. Assistant principal	7.4	91	0.0	94	-	-	3.7	185
d. Other school administrator	6.7	91	1.2	94	-	-	4.0	185
e. Other school faculty or staff member	0.0	91	0.0	94	-	-	0.0	185

\*Among those schools that have adopted a policy prohibiting tobacco use.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Zero tolerance	85.2	107	88.0	103	-	-	86.6	210
b. Effect or severity of the violation	53.0	102	61.0	99	-	-	56.9	201
c. Grade level of student	26.7	102	37.7	99	-	-	32.0	201
d. Repeat offender status	87.1	102	82.9	99	-	-	85.1	201

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Parents or guardians are notified	0.0	108	0.0	101	-	-	0.0	209
b. Referred to a school counselor	9.1	108	2.0	101	-	-	5.8	209
c. Referred to a school administrator	0.9	108	0.0	101	-	-	0.5	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	14.1	107	16.1	101	-	-	15.0	208
e. Required to participate in an assistance, education, or cessation program	25.9	108	23.8	99	-	-	24.9	207
f. Referred to legal authorities	4.7	108	3.0	100	-	-	3.9	208
g. Placed in detention	21.7	106	22.1	100	-	-	21.9	206
h. Not allowed to participate in extra-curricular activities or interscholastic sports	1.8	107	2.2	100	-	-	2.0	207
i. Given in-school suspension	14.9	107	14.8	100	-	-	14.9	207
j. Suspended from school	10.4	106	3.4	99	-	-	7.1	205
k. Expelled from school	59.0	108	52.0	101	-	-	55.7	209
l. Reassigned to an alternative school	89.8	107	81.3	101	-	-	85.8	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Parents or guardians are notified	0.0	108	0.0	101	-	-	0.0	209
b. Referred to a school counselor	13.8	108	4.9	101	-	-	9.6	209
c. Referred to a school administrator	0.9	108	0.0	101	-	-	0.5	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	22.3	107	16.9	101	-	-	19.8	208
e. Required to participate in an assistance, education, or cessation program	26.7	108	19.1	99	-	-	23.2	207
f. Referred to legal authorities	15.9	108	6.4	100	-	-	11.4	208
g. Placed in detention	10.4	106	7.7	100	-	-	9.1	206
h. Not allowed to participate in extra-curricular activities or interscholastic sports	1.8	107	2.8	100	-	-	2.2	207
i. Given in-school suspension	7.4	107	10.1	100	-	-	8.7	207
j. Suspended from school	17.9	106	12.3	99	-	-	15.2	205
k. Expelled from school	30.9	108	38.7	101	-	-	34.6	209
l. Reassigned to an alternative school	8.4	107	11.5	101	-	-	9.8	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Parents or guardians are notified	0.9	108	0.0	101	-	-	0.5	209
b. Referred to a school counselor	38.8	108	42.6	101	-	-	40.6	209
c. Referred to a school administrator	2.8	108	2.1	101	-	-	2.5	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	35.6	107	24.8	101	-	-	30.5	208
e. Required to participate in an assistance, education, or cessation program	32.8	108	29.3	99	-	-	31.1	207
f. Referred to legal authorities	28.8	108	19.5	100	-	-	24.4	208
g. Placed in detention	24.6	106	31.9	100	-	-	28.1	206
h. Not allowed to participate in extra-curricular activities or interscholastic sports	8.5	107	30.2	100	-	-	18.8	207
i. Given in-school suspension	43.4	107	51.4	100	-	-	47.2	207
j. Suspended from school	41.7	106	47.5	99	-	-	44.5	205
k. Expelled from school	10.1	108	8.3	101	-	-	9.3	209
l. Reassigned to an alternative school	1.9	107	6.3	101	-	-	4.0	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Parents or guardians are notified	99.1	108	100.0	101	-	-	99.5	209
b. Referred to a school counselor	38.3	108	50.5	101	-	-	44.1	209
c. Referred to a school administrator	95.4	108	97.9	101	-	-	96.6	209
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	28.0	107	42.2	101	-	-	34.8	208
e. Required to participate in an assistance, education, or cessation program	14.6	108	27.9	99	-	-	20.8	207
f. Referred to legal authorities	50.6	108	71.1	100	-	-	60.2	208
g. Placed in detention	43.2	106	38.3	100	-	-	40.9	206
h. Not allowed to participate in extra-curricular activities or interscholastic sports	87.9	107	64.8	100	-	-	77.0	207
i. Given in-school suspension	34.4	107	23.6	100	-	-	29.3	207
j. Suspended from school	30.0	106	36.8	99	-	-	33.2	205
k. Expelled from school	0.0	108	0.9	101	-	-	0.4	209
l. Reassigned to an alternative school	0.0	107	0.9	101	-	-	0.4	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
88.1	107	96.8	100	-	-	92.2	207

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that did the following activities during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	61.3	108	65.2	102	-	-	63.2	210
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	65.7	108	63.8	100	-	-	64.8	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Faculty and staff	19.6	107	20.5	103	-	-	20.1	210
b. Students	29.6	107	28.1	103	-	-	28.9	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Faculty and staff	21.3	108	19.2	103	-	-	20.3	211
b. Students	34.8	108	32.0	103	-	-	33.5	211

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Foods or beverages are not offered at school celebrations	3.8	108	2.7	103	-	-	3.3	211
b. Never	2.7	108	0.9	103	-	-	1.9	211
c. Rarely	6.6	108	8.9	103	-	-	7.7	211
d. Sometimes	58.2	108	56.9	103	-	-	57.6	211
e. Always or almost always	28.7	108	30.5	103	-	-	29.6	211

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
85.9	107	71.6	103	-	-	79.1	210

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Chocolate candy	45.4	107	27.5	103	-	-	36.8	210
b. Other kinds of candy	49.3	107	32.2	103	-	-	41.1	210
c. Salty snacks that are not low in fat (e.g., regular potato chips)	42.3	107	24.4	103	-	-	33.7	210
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	51.1	107	38.9	103	-	-	45.3	210
e. Ice cream or frozen yogurt that is not low in fat	9.3	105	16.5	102	-	-	12.8	207
f. 2% or whole milk (plain or flavored)	28.4	107	29.2	103	-	-	28.8	210
g. Water ices or frozen slushes that do not contain juice	15.1	106	10.6	102	-	-	12.9	208
h. Soda pop or fruit drinks that are not 100% juice	56.2	107	29.0	103	-	-	43.1	210
i. Sports drinks (e.g., Gatorade)	82.1	107	59.8	103	-	-	71.4	210
j. Foods or beverages containing caffeine	56.5	104	28.4	103	-	-	42.8	207
k. Fruits (not fruit juice)	31.4	106	23.8	103	-	-	27.7	209
l. Non-fried vegetables (not vegetable juice)	15.5	107	7.6	103	-	-	11.7	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
41.5	106	40.3	101	-	-	40.9	207

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.4	108	7.5	102	-	-	7.5	210
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	48.1	108	53.9	102	-	-	50.9	210
c. Provided information to students or families on the nutrition and caloric content of foods available	26.9	108	40.0	102	-	-	33.1	210
d. Conducted taste tests to determine food preferences for nutritious items	9.3	108	15.6	102	-	-	12.3	210
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	24.1	108	23.7	102	-	-	23.9	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
0.9	104	0.0	99	-	-	0.5	203

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. In the school building	49.8	108	54.2	103	-	-	51.9	211
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	45.2	108	48.9	102	-	-	47.0	210
c. On school buses or other vehicles used to transport students	67.4	108	59.6	102	-	-	63.7	210
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	53.8	108	58.8	102	-	-	56.2	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
11.7	108	12.0	103	-	-	11.9	211

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. This school has no students with known asthma.	5.6	108	0.9	103	-	-	3.4	211
b. All students with known asthma have an asthma action plan on file.	35.1	108	47.3	103	-	-	40.9	211
c. Most students with known asthma have an asthma action plan on file.	27.8	108	30.7	103	-	-	29.2	211
d. Some students with known asthma have an asthma action plan on file.	14.8	108	13.3	103	-	-	14.1	211
e. No students with known asthma have an asthma action plan on file.	16.8	108	7.8	103	-	-	12.5	211

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. This school does not identify students with poorly controlled asthma.	39.1	104	22.0	103	-	-	30.8	207
b. Frequent absences from school	27.8	106	31.7	103	-	-	29.7	209
c. Frequent visits to the school health office due to asthma	25.5	108	40.5	103	-	-	32.7	211
d. Frequent asthma symptoms at school	39.0	107	51.6	103	-	-	45.0	210
e. Frequent non-participation in physical education class due to asthma	32.3	107	44.7	103	-	-	38.3	210
f. Students sent home early due to asthma	23.3	106	34.0	103	-	-	28.5	209
g. Calls from school to 911, or other local emergency numbers, due to asthma	9.1	108	15.1	103	-	-	12.0	211

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	36.8	103	56.7	103	-	-	46.5	206
b. Ensuring an appropriate written asthma action plan is obtained	63.1	104	77.3	103	-	-	70.0	207
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	66.4	104	80.5	103	-	-	73.3	207
d. Offering asthma education for students with asthma	41.7	103	40.5	103	-	-	41.1	206
e. Minimizing asthma triggers in the school environment	62.4	104	74.6	103	-	-	68.4	207
f. Addressing social and emotional issues related to asthma	28.7	104	39.7	103	-	-	34.1	207
g. Providing additional psychosocial counseling or support services as needed	44.2	103	50.9	103	-	-	47.5	206
h. Ensuring access to safe, enjoyable physical education and activity opportunities	79.7	104	88.9	103	-	-	84.2	207
i. Ensuring access to preventive medications before physical activity	77.0	105	84.3	103	-	-	80.5	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. More than once per year	0.0	107	2.0	103	-	-	1.0	210
b. Once per year	15.3	107	10.0	103	-	-	12.7	210
c. Less than once per year	16.6	107	23.3	103	-	-	19.8	210
d. No such requirement	68.1	107	64.7	103	-	-	66.5	210

## MONTANA

### 2010 School Health Profiles Report Weighted Principal Survey Results

---

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
Percent	N	Percent	N	Percent	N	Percent	N
72.9	107	85.4	103	-	-	78.9	210

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. Students	88.1	75	97.6	86	-	-	93.1	161
b. Parents and families	84.2	75	94.3	86	-	-	89.5	161

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# M O N T A N A

## 2010 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\*

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. No single individual is responsible	30.4	70	37.8	81	-	-	34.3	151
b. Principal	28.7	70	36.0	81	-	-	32.5	151
c. Assistant principal	0.0	70	0.0	81	-	-	0.0	151
d. School nurse	19.3	70	19.7	81	-	-	19.5	151
e. Other school faculty or staff member	21.6	70	6.5	81	-	-	13.7	151

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. HIV, STD, or teen pregnancy prevention	11.3	108	14.7	102	-	-	12.9	210
b. Tobacco-use prevention	28.0	108	25.4	102	-	-	26.8	210
c. Physical activity	26.2	108	27.7	102	-	-	26.9	210
d. Nutrition and healthy eating	28.9	108	41.7	102	-	-	35.0	210
e. Asthma	9.4	108	11.9	102	-	-	10.6	210

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# MONTANA

## 2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools		Middle Schools		Junior/Senior High Schools		All Schools	
	Percent	N	Percent	N	Percent	N	Percent	N
a. HIV, STD, or teen pregnancy prevention	17.6	108	21.1	102	-	-	19.3	210
b. Tobacco-use prevention	31.6	108	34.5	102	-	-	33.0	210
c. Physical activity	23.4	108	26.6	102	-	-	24.9	210
d. Nutrition and healthy eating	29.9	108	39.8	102	-	-	34.6	210
e. Asthma	14.0	108	13.0	102	-	-	13.5	210